New Build 50

SECTION 1 – PRODUCT IDENT	TFICATION
PRODUCT NAME:	New Build 50 Blue Clear White
PRODUCT NUMBER:	018343B 018343C 018343W
SYNONYMS:	Penetrating remediation barrier to prevent new organic matter build-up
CAS NUMNER:	Mixture
RECOMMENDED USE:	Water borne coating, containing silver based penetrant
COMPANY INFORMATION:	Anabec, Inc. 9393 Main Street Clarence, NY 14031 Phone: 716-759-1674 Fax: 716-759-7829 Email: info@anabec.com
FMFRCENCY PHONE	(800) 424-93 00 (CHEMTREC)

EMERGENCY PHONE:

(800) 424-9300 (CHEMTREC)

SECTION 2 – HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION:

SIGNAL WORD:

Skin Irritation – 2

WARNING



HAZARD PICTOGRAMS:

HAZARD STATEMENTS:

Causes mild skin irritation

PRECAUTIONARY STATEMENTS:

PREVENTION: Read label before use. Keep/store away from heat, hot surfaces, sparks, open flames and other ignition sources. Use only non-sparking tools. Avoid breathing vapors. Do not eat, drink or smoke when using this product. Use only in a well-ventilated area. Wear protective gloves and eye protection. In case of inadequate ventilation, wear respiratory protection.



New Build 50	
RESPONSE:	If swallowed, do NOT induce vomiting. Get medical attention. If on skin, rinse with plenty of water. If symptoms persist, get medical attention. If inhaled: remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms, get medical attention. If in eyes, rinse thoroughly for 15 minutes. Remove contact lenses and continue washing. Get medical attention. If on clothing, wash before reuse. In case of a fire, fight fire with normal precautions from a reasonable distance.
STORAGE: DISPOSAL:	Store in a closed container. Keep in a cool well-ventilated place. Dispose contents in accordance with federal, state, and local regulations.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE/MIXTURE:

INGREDIENT	PERCENT COMPOSITION	CAS NUMBER
Propylene Glycol	1-10%	57-55-6
Diethyl Glycol Monobutyl Ether	<2%	112-34-5
Silver	<1%	7440-22-4
Methoxymethylethoxypropanol, 2-	<1%	64590-94-8
Acrylate Copolymer	10-20%	*
Titanium Dioxide	<10%	013463-67-7

*Specific identity of the chemical has been withheld as it is a trade secret

SECTION 4 – FIRST-AID MEASURES

IF INHALED:	Remove to fresh air. If not breathing or breathing is difficult, give oxygen or artificial respiration and get medical attention.
IF SKIN CONTACT:	Immediately wash skin with mild soap and large volumes of water. Remove contaminated clothing. Wash clothing before reuse. Get medical attention if symptoms persist.
IF EYE CONTACT:	Thoroughly flush eyes with large volumes of clean, low pressure water for at least 15 minutes while holding eyelid open. Remove contact lenses, if worn, after initial flushing and then continue flushing. Get immediate medical attention.
IF SWALLOWED:	Rinse mouth with water. Drink water. Do NOT induce vomiting. If vomiting occurs, keep head lower than hips to prevent aspiration. Get medical attention.

SECTION 5 – FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:

Water fog or spray, alcohol resistant foam, dry chemical, carbon dioxide.



New Build 50

UNSUITABLE EXTINGUISHING MEDIA:Do not use water in a tight stream.SPECIFIC FIREFIGHTING HAZARDS:If possible, keep nearby containers cool. Heat may build
enough internal pressure to rupture a closed container,
potentially spreading the fire and increasing risk. Oxides of
carbon and other possible toxic solids, vapors, and/or gases
may be emitted.

SPECIAL FIREFIGHTING EQUIPMENT/PROCEDURE:

Wear full protective clothing and self-contained breathing apparatus or air mask. Fight large fires from a safe distance. If possible do not allow discharge runoff into the water environment.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPEMENT:

Handle in accordance with good industrial hygiene and safety practice. Use chemical resistant gloves and safety glasses with side shields or goggles. To prevent contact with skin, wear clothing covering all exposed areas.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP/EMERGENCY PROCEDURE:

Ventilate the area. Avoid breathing dust or vapor. Use a selfcontaining breathing apparatus or air mask for larger spills. Remove all sources of sparks or ignition. Clean and dispose contaminated area into an appropriate disposal container.

SECTION 7 – HANDLING AND STORAGE

HANDLING:

Handle in accordance with good industrial hygiene and safety practice. Do not smoke near chemicals.

STORAGE:

Keep in cool, well-ventilated area away from any source of heat, sparks, or open flames. Keep container sealed tight when not in use. Ensure proper labeling on the container.

SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

INGREDIENT INFROMATION:

INGREDIENT	OSHA	ACGIH	CERCLA RQ	SARA 302 EHS	SARA 313	HUMAN CARCINOGEN
Propylene Glycol	No data	No data	None Listed	No	No	No
Diethyl Glycol Monobutyl Ether	TWA 25 ppm.	TWA 20 ppm.	None Listed	No	No	No
Silver	0.01 mg/m3	No data	1,000 lbs.	No	No	No
Methoxymethylethoxypropanol, 2-	PEL 100 ppm.	TWA 100 ppm.	None Listed	No	Yes	No



New Build 50

Acrylate Copolymer	No data	No data	None Listed	No	No	No
Titanium Dioxide	PEL 10 mg/m3	TLV 15 mg/m3	None Listed	No	No	No

PERSONAL PROTECTIVE EQUIPMENT

Eye/Face Protection: Skin Protection: Respiratory Protection:	Safety glasses with side-shields. Protective gloves and impervious clothing. In case of insufficient ventilation, wear suitable respiratory equipment.
HYGIENE MEASURES:	Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.
ADDITIONAL MEASURES:	Ensure adequate ventilation, especially in confined areas.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: COLOR: ODOR: ODOR THRESHOLD: pH: MELTING POINT/FREEZING POINT: BOILING POINT/RANGE: FLASH POINT: EVAPORTAION RATE: LOWER EXPLOSIVE LIMIT: UPPER EXPLOSIVE LIMIT: UPPER EXPLOSIVE LIMIT: VAPOR PRESSURE: VAPOR DENSITY: SPECIFIC GRAVITY: SOLUBILITY IN WATER: SOLUBILITY IN OTHER SOLVENTS: PARTITION COEFFICIENT	Liquid Varies None No data available 6.4 – 9.0 No data available Estimated >212° F >100°C No data available Nonflammable No data available No data available 1.002 Mostly No data available
(N-OCTANOL/WATER):	No data available
AUTO-IGNITION TEMPERATURE:	No data available
DECOMPOSITION TEMPERATURE:	No data available
VISCOSITY:	No data available
VOC:	0.71 lbs/gal

SECTION 10 - STABILITY AND REACTIVITY

CHEMICAL STABILITY:

Stable under normal conditions of use

HAZARDOUS POLYMERIZATIONS:

May occur

HAZARDOUS DECOMPOSITION PRODUCTS:

None expected

CONDITIONS TO AVOID:

Keep away from strong acids and bases



New Build 50

INCOMPATIBLE MATERIALS:

Oxidizers

SECTION 11 – TOXICOLOGICAL INFORMATION

MEDICAL CONDITION AGGRAVATED:	Pre-existing medical conditions in the following systems or organs may be aggravated by exposure to this product: Skin (dermatitis), eyes, liver, kidneys, nervous system, respiratory system (asthma, lungs). Repeated or prolonged exposure could produce target organ damage.
INHALATION:	Vapors or mists in excess of the listed concentrations, or in unusually high concentrations formed during usage, may cause irritation of the eyes or respiratory tract. Heating the material and poor ventilation during use may also cause the above listed irritation.
INGESTION:	Product has extremely low toxicity if swallowed.
EYES:	The product will potentially cause moderate to significant eye irritation.
SKIN:	Contact with the solution may cause mild skin irritation. Repeated contact may result in defatting and drying/cracking of the skin, which could result in significant skin irritation and dermatitis (rash). Skin absorption may produce systemic toxicity.

SECTION 12 – ECOLOGICAL INFORMATION

PERSISTENCE AND DEGRADABILITY:	No data available
BIOACCUMULATIVE POTENTIAL:	No data available
MOBILITY IN SOIL:	No data available
OTHER ADVERSE EFFECTS:	No data available

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:

Dispose of in accordance with federal, state and local regulations.

SECTION 14 – TRANSPORT INFORMATION

UN PROPER SHIPPING NAME:

NOT REGULATED

New Build 50

SECTION 15 – REGULATORY INFROMATION

TSCA STATUS:

All known components of this product are listed or are exempt from listing.

SARA SECTION 311/312:	ACUTE: CHRONIC: FIRE: REACTIVE: PRESSURE RELEASE:	No No No No
HMIS HEALTH:	1	
HMIS FLAMMABILITY:	0	
HMIS RECATIVITY:	0	
HMIS PERSONAL PROTE	CTION: X	

SECTION 16 – OTHER INFROMATION

SDS REVISION DATE:

August 22, 2023

SDS REVISION NUMBER:

1